

EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S1	424	warm adj2 boot	US-PGPUB; USPAT	AND	OFF	2006/03/08 08:50
S6	100970	"on/off"	US-PGPUB; USPAT	AND	OFF	2006/03/08 08:52
S7	1	"on/off" with warm near2 boot	US-PGPUB; USPAT	AND	OFF	2006/03/08 09:01
S8	219	"on/off" with sleep	US-PGPUB; USPAT	AND	OFF	2006/03/08 08:53
S11	480	"on/off" near6 combin\$3	US-PGPUB; USPAT	AND	OFF	2006/03/08 08:53
S12	141	"on/off" adj2 (key OR button OR switch) near6 combin\$3	US-PGPUB; USPAT	AND	OFF	2006/03/08 08:54
S13	605	cold near3 boot	US-PGPUB; USPAT	AND	OFF	2006/03/08 08:55
S14	7	S13.ti.	US-PGPUB; USPAT	AND	OFF	2006/03/08 08:55
S15	197	S13 with warm adj2 boot	US-PGPUB; USPAT	AND	OFF	2006/03/08 08:55
S16	8	S15.ab.	US-PGPUB; USPAT	AND	OFF	2006/03/08 08:56
S19	145	"on/off" with warm	US-PGPUB; USPAT	AND	OFF	2006/03/08 08:56
S20	6	"on/off" with warm same reset	US-PGPUB; USPAT	AND	OFF	2006/03/08 08:57
S21	68	computer near4 reset adj2 circuit	US-PGPUB; USPAT	AND	OFF	2006/03/08 08:57
S22	3	warm adj2 boot near2 key	US-PGPUB; USPAT	AND	OFF	2006/03/08 09:01
S23	1	warm adj2 boot near2 button	US-PGPUB; USPAT	AND	OFF	2006/03/08 09:02
S24	1	warm adj2 boot near2 switch	US-PGPUB; USPAT	AND	OFF	2006/03/08 09:02
S25	68492	second power near2 switch	US-PGPUB; USPAT	AND	OFF	2006/03/08 09:02
S26	48234	second power adj2 switch	US-PGPUB; USPAT	AND	OFF	2006/03/08 09:02
S28	9	first near3 power adj2 switch with second power adj2 switch with reset near2 circuit	US-PGPUB; USPAT	AND	OFF	2006/03/08 09:04
S29	14	second adj2 switch adj2 circuit same reset adj2 circuit	US-PGPUB; USPAT	AND	OFF	2006/03/08 09:13

EAST Search History

S30	602	combin\$ with "on/off" adj2 (key OR button OR switch)	US-PGPUB; USPAT	AND	OFF	2006/03/08 09:14
S31	239	combin\$ near6 "on/off" adj2 (key OR button OR switch)	US-PGPUB; USPAT	AND	OFF	2006/03/08 09:14
S36	520	cold adj2 boot	US-PGPUB; USPAT	AND	OFF	2006/03/08 09:15
S37	16	S36.ab.	US-PGPUB; USPAT	AND	OFF	2006/03/08 09:17
S38	14407	reset adj2 (pin OR key OR button)	US-PGPUB; USPAT	AND	OFF	2006/03/08 09:18
S44	1	external near3 warm adj2 boot	US-PGPUB; USPAT	AND	OFF	2006/03/08 09:21
S45	63415	reset near2 signal	US-PGPUB; USPAT	AND	OFF	2006/03/08 09:32
S46	407	reset near2 signal with power adj2 (switch OR button OR key)\	US-PGPUB; USPAT	AND	OFF	2006/03/08 09:33
S48	2	reset near2 signal with power adj2 (switch OR button OR key) with combin\$5	US-PGPUB; USPAT	AND	OFF	2006/03/08 09:34
S49	200	reset near2 signal with power adj2 (switch OR button OR key) simultaneously	US-PGPUB; USPAT	AND	OFF	2006/03/08 09:34
S50	5	reset near2 signal with power adj2 (switch OR button OR key) with simultaneously	US-PGPUB; USPAT	AND	OFF	2006/03/08 09:39
S51	16	reset near2 signal with switching near6 simultaneously	US-PGPUB; USPAT	AND	OFF	2006/03/08 09:39
S52	95	reset with switching near6 simultaneously	US-PGPUB; USPAT	AND	OFF	2006/03/08 09:39
S53	32	reset with switching with simultaneously with ("on/off" OR power)	US-PGPUB; USPAT	AND	OFF	2006/03/08 09:41
S54	99	reset with switch with simultaneously with ("on/off" OR power)	US-PGPUB; USPAT	AND	OFF	2006/03/08 09:42
S55	4	reset with second adj3 switch with simultaneously with ("on/off" OR power)	US-PGPUB; USPAT	AND	OFF	2006/03/08 09:54
S56	60	reset with second adj3 switch adj2 circuit	US-PGPUB; USPAT	AND	OFF	2006/03/08 09:55
S57	3	("6144237").URPN.	USPAT	AND	OFF	2006/03/08 09:56
S58	2	awak\$2 adj2 button	USPAT	AND	OFF	2006/03/08 09:57
S59	249	warm adj boot	USPAT	AND	OFF	2006/03/08 09:57
S63	249	warm adj boot	USPAT	AND	OFF	2006/03/08 09:58
S64	16	warm adj boot with key	USPAT	AND	OFF	2006/03/08 10:00

EAST Search History

S66	39	(power OR "on/off") near4 (warm adj2 boot)	USPAT	AND	OFF	2006/03/08 10:04
S67	91	(power OR "on/off") with (warm adj2 boot)	USPAT	AND	OFF	2006/03/08 10:05
S72	23	method near6 hard adj2 reset	US-PGPUB; USPAT	AND	OFF	2006/03/08 10:12
S73	10	hard adj2 reset with simultaneously	US-PGPUB; USPAT	AND	OFF	2006/03/08 10:14
S74	7665	reset with simultaneously	US-PGPUB; USPAT	AND	OFF	2006/03/08 10:15
S75	19	reset with simultaneously with soft	US-PGPUB; USPAT	AND	OFF	2006/03/08 10:17
S76	6	reset with simultaneously with warm	US-PGPUB; USPAT	AND	OFF	2006/03/08 10:18
S77	131	warm adj boot with (power OR "on/off")	US-PGPUB; USPAT	AND	OFF	2006/03/08 10:18
S78	5	warm adj boot with (power OR "on/off") same simultaneously	US-PGPUB; USPAT	AND	OFF	2006/03/08 10:18
S79	79	warm adj boot with (power OR "on/off") same reset	US-PGPUB; USPAT	AND	OFF	2006/03/08 10:18
S80	73	warm adj boot with (power OR "on/off") with reset	US-PGPUB; USPAT	AND	OFF	2006/03/08 10:20
S81	42	reset with portable near2 information	US-PGPUB; USPAT	AND	OFF	2006/03/08 10:21
S82	0	S81.ab.	US-PGPUB; USPAT	AND	OFF	2006/03/08 10:20
S83	631	reset with portable	US-PGPUB; USPAT	AND	OFF	2006/03/08 10:21
S84	36	S83.ab.	US-PGPUB; USPAT	AND	OFF	2006/03/08 10:31
S85	291	sleep adj3 (button OR key)	US-PGPUB; USPAT	AND	OFF	2006/03/08 10:31
S87	20	"4497021"	US-PGPUB; USPAT	AND	OFF	2006/03/08 10:49
S88	20	("4080659").PN. OR ("4497021").URPN.	US-PGPUB; USPAT; USOCR	AND	OFF	2006/03/08 10:44
S89	13	press\$3 near3 simultaneously with reset adj2 signal	US-PGPUB; USPAT	AND	OFF	2006/03/08 10:50
S90	1	power with press\$3 near3 simultaneously with reset adj2 signal	US-PGPUB; USPAT	AND	OFF	2006/03/09 09:02
S91	32	pal.as.	US-PGPUB; USPAT	AND	OFF	2006/03/09 09:02

EAST Search History

S92	254	palm.as.	US-PGPUB; USPAT	AND	OFF	2006/03/09 09:03
S94	18	palm.as. reset	US-PGPUB; USPAT	AND	OFF	2006/03/09 09:04
S95	35	palm.as. pin	US-PGPUB; USPAT	AND	OFF	2006/03/09 09:05
S96	16	palm.as. hole	US-PGPUB; USPAT	AND	OFF	2006/03/09 09:06
S97	208	reset near2 hole	US-PGPUB; USPAT	AND	OFF	2006/03/09 09:06
S99	18	reset near2 hole with power	US-PGPUB; USPAT	AND	OFF	2006/03/09 09:06
S10 0	208	reset near2 hole with reset	US-PGPUB; USPAT	AND	OFF	2006/03/09 09:07
S10 3	6	PDA same hard adj2 reset	US-PGPUB; USPAT	AND	OFF	2006/03/09 09:07
S10 4	23	pda adj3 reset	US-PGPUB; USPAT	AND	OFF	2006/03/09 09:31
S10 5	17	personal near2 digital with reset	US-PGPUB; USPAT	AND	OFF	2006/03/09 09:31
S10 6	0	handheld near3 CPU with reset	US-PGPUB; USPAT	AND	OFF	2006/03/09 09:31
S10 7	80	handheld with reset	US-PGPUB; USPAT	AND	OFF	2006/03/09 09:32
S10 8	31	portable with CPU with reset	US-PGPUB; USPAT	AND	OFF	2006/03/09 09:32
S10 9	0	portable with CPU with hard adj2 boot	US-PGPUB; USPAT	AND	OFF	2006/03/09 09:33
S11 0	305	hard adj2 boot	US-PGPUB; USPAT	AND	OFF	2006/03/09 09:33
S11 1	1141	hard adj2 reset	US-PGPUB; USPAT	AND	OFF	2006/03/09 09:33
S11 2	6	hard adj2 reset same PDA	US-PGPUB; USPAT	AND	OFF	2006/03/09 09:33
S11 3	36	hard adj2 reset PDA	US-PGPUB; USPAT	AND	OFF	2006/03/09 09:34
S11 4	54	hard adj2 reset with power with soft	US-PGPUB; USPAT	AND	OFF	2006/03/09 09:37
S11 5	27	(soft OR warm) near4 simultaneously near4 power	US-PGPUB; USPAT	AND	OFF	2006/03/09 09:39
S11 6	0	(reset adj2 (pin OR hole)) near4 simultaneously near4 power	US-PGPUB; USPAT	AND	OFF	2006/03/09 09:43
S11 7	498	(reset adj2 (pin OR hole))with power	US-PGPUB; USPAT	AND	OFF	2006/03/09 09:43

EAST Search History

S118	2	(reset adj2 (pin OR hole)) with power adj2 button	US-PGPUB; USPAT	AND	OFF	2006/03/09 09:43
S119	0	(reset adj2 (pin OR hole)) with power adj2 key	US-PGPUB; USPAT	AND	OFF	2006/03/09 09:43
S120	0	(reset adj2 (pin OR hole))with power same PDA	US-PGPUB; USPAT	AND	OFF	2006/03/09 09:43
S121	22	(reset adj2 (pin OR hole))with power PDA	US-PGPUB; USPAT	AND	OFF	2006/03/09 09:44
S122	24	(reset\$3 adj2 (pin OR hole))with power PDA	US-PGPUB; USPAT	AND	OFF	2006/03/09 09:44
S123	24	(reset\$4 adj2 (pin OR hole))with power PDA	US-PGPUB; USPAT	AND	OFF	2006/03/09 09:44
S124	101	reset\$5 near6 pda	US-PGPUB; USPAT	AND	OFF	2006/03/09 09:59
S125	0	S124.ti.	US-PGPUB; USPAT	AND	OFF	2006/03/09 09:44
S126	1	S124.ab.	US-PGPUB; USPAT	AND	OFF	2006/03/09 09:44
S127	84	boot\$4 with portable near2 device	US-PGPUB; USPAT	AND	OFF	2006/03/09 09:59
S128	1	boot\$4 with portable near2 device hard adj2 reset	US-PGPUB; USPAT	AND	OFF	2006/03/09 09:59
S129	27	boot\$4 with portable near2 device reset	US-PGPUB; USPAT	AND	OFF	2006/03/09 09:59
S130	16	("4621363" "4752870" "4885770" "4943911" "5280627" "5325529" "5367688" "5452454" "5497492" "5590340" "5668977" "5689654" "5822405" "5822582").PN. OR ("6055631").URPN.	US-PGPUB; USPAT; USOCR	AND	OFF	2006/03/09 10:00
S131	1	boot\$3 same reset near2 hole	US-PGPUB; USPAT	AND	OFF	2006/03/09 10:05
S132	109	boot\$3 same reset near2 pin	US-PGPUB; USPAT	AND	OFF	2006/03/09 11:16
S133	254	palm.as.	US-PGPUB; USPAT	AND	OFF	2006/03/09 11:16
S134	22	palm.as. reset\$4	US-PGPUB; USPAT	AND	OFF	2006/03/09 11:17
S135	1110	soft near2 reset	US-PGPUB; USPAT	AND	OFF	2006/03/09 11:17
S136	64	soft near2 reset (PDA OR handheld OR (personal adj2 digital))	US-PGPUB; USPAT	AND	OFF	2006/03/09 11:17
S137	301	second power adj2 switch with reset near2 circuit	US-PGPUB; USPAT	AND	OFF	2006/03/09 12:45

EAST Search History

S13 8	0	second power adj2 switch with reset near2 circuit NMOSFET	US-PGPUB; USPAT	AND	OFF	2006/03/09 12:43
S13 9	2166	NMOSFET	US-PGPUB; USPAT	AND	OFF	2006/03/09 12:44
S14 0	33	NMOSFET reset adj2 circuit	US-PGPUB; USPAT	AND	OFF	2006/03/09 12:45
S14 1	0	second adj2 power adj2 switch with reset near2 circuit	US-PGPUB; USPAT	AND	OFF	2006/03/09 12:45
S14 2	156	second adj2 switch with reset near2 circuit	US-PGPUB; USPAT	AND	OFF	2006/03/09 12:48
S14 3	1224	second adj2 switch with reset	US-PGPUB; USPAT	AND	OFF	2006/03/09 12:48
S14 4	5	second adj2 power adj2 switch with reset	US-PGPUB; USPAT	AND	OFF	2006/03/09 12:48
S14 5	0	latest adj2 system adj2 information with startup	US-PGPUB; USPAT	AND	OFF	2006/03/09 15:16
S14 6	1	latest adj2 system adj2 information with start\$3	US-PGPUB; USPAT	AND	OFF	2006/03/09 15:16
S14 7	31	display\$3 adj4 system adj2 information with start\$3	US-PGPUB; USPAT	AND	OFF	2006/03/09 15:18
S14 8	0	display\$3 adj4 system adj2 information with restart	US-PGPUB; USPAT	AND	OFF	2006/03/09 15:18
S14 9	7	display\$3 adj4 system adj2 information with reset	US-PGPUB; USPAT	AND	OFF	2006/03/09 15:19
S15 0	0	display\$3 adj4 system adj2 information with restart\$3	US-PGPUB; USPAT	AND	OFF	2006/03/09 15:19
S15 1	3	display\$3 adj4 latest adj3 system adj2 information	US-PGPUB; USPAT	AND	OFF	2006/03/09 15:19
S15 2	1905	display\$3 adj3 system adj2 information	US-PGPUB; USPAT	AND	OFF	2006/03/09 15:19
S15 3	2	display\$3 adj3 system adj2 information with boot	US-PGPUB; USPAT	AND	OFF	2006/03/09 15:20
S15 4	4	display\$3 adj3 system adj2 information with boot\$3	US-PGPUB; USPAT	AND	OFF	2006/03/09 15:20
S15 5	4	display\$3 adj3 system adj2 information with boot\$4	US-PGPUB; USPAT	AND	OFF	2006/03/13 09:36
S16 2	367	information near4 power\$3 adj down	US-PGPUB; USPAT	AND	OFF	2006/03/13 09:42
S16 5	18	information near4 power\$3 adj down display\$3 with power\$1 adj2 up	US-PGPUB; USPAT	AND	OFF	2006/03/13 09:44
S16 6	7	information near4 power\$3 adj down display\$3 with restart\$3	US-PGPUB; USPAT	AND	OFF	2006/03/13 09:45

EAST Search History

S16 7	29	information near4 ((power\$3 adj down) OR (shut adj2 down)) display\$3 with (restart\$3 OR (start adj2 up))	US-PGPUB; USPAT	AND	OFF	2006/03/13 09:46
----------	----	--	--------------------	-----	-----	------------------